Denatured collagen FIG. 1B FIG. 1A Native collagen

Title: METHODS AND COMPOSITIONS FOR ENHANCING THE DELIVERY OF A NUCLEIC ACID TO A CELL Inventor(s): Robert J. Levy et al. Appl. No.: 09/851,327

FIG. 2A

FIG. 2B




Native collagen +GFP DNA




Denatured collagen+GFP DNA

Title: METHODS AND COMPOSITIONS FOR ENHANCING THE DELIVERY OF A NUCLEIC ACID TO A CELL Inventor(s): Robert J. Levy et al. Appl. No.: 09/851,327



CONTRACTOR ASSESSED.

TNC-15.0µg/ml FIG. 4D TNC- 15.0µg/ml FIG. 4B Collagen (No TNC) TNC-50.0 µg/ml FIG. 4A FIG. 4C



Title: METHODS AND COMPOSITIONS FOR ENHANCING THE DELIVERY OF A NUCLEIC ACID TO A CELL Inventor(s): Robert J. Levy et al. Appl. No.: 09/851,327

FIG. 6C FIG. 6B FIG. 6A

Title: METHODS AND COMPOSITIONS FOR ENHANCING THE DELIVERY OF A NUCLEIC ACID TO A CELL Inventor(s): Robert J. Levy et al. Appl. No.: 09/851,327

FIG. 7C FIG. 7B FIG. 7A